



Docket No.: 043890-0786

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of : Customer Number: 53080  
Hiroyuki HAYASHIKAWA, et al. : Confirmation Number: 7184  
Patent No.: 7,580,439 : Issue Date: August 25, 2009  
Application No.: 10/576,688 : Group Art Unit: 2828  
Filed: April 21, 2006 : Examiner: Kinam PARK  
For: GAS LASER OSCILLATOR

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322**

Mail Stop Certificate of Correction  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**

SEP 28 2009

Sir:

**of Correction**

In reviewing the above-identified patent, a printing error was discovered therein requiring correction in order to conform the Official Record in the application.

The error noted is set forth on the attached copy of form PTO-1050 Rev. 2-93 in the manner required by the Commissioner's Notice.

Specifically, the section entitled --OTHER PUBLICATIONS-- and the literature reference --Supplementary European Search Report, 6 pages-- have been erroneously omitted from the patent. Attached, please find our Information Disclosure Statement and PTO Form 1449 filed November 10, 2008, as well as the copy of the 1449 initialed by the Examiner which lists the omitted reference.

The change requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. Accordingly, Applicants request issuance of the Certificate of Correction.

Please charge any shortage in fees due in connection with the filing of this paper to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

Michael E. Fogarty  
Registration No. 36,139

Please recognize our Customer No. 53080  
as our correspondence address.

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
Phone: 202.756.8000 MEF:alb  
Facsimile: 202.756.8087  
Date: September 24, 2009

WDC99 1770357-1.043890.0786